



Safety Data Sheet

SUMAGIC® Plant Growth Regulator

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SUMAGIC® Plant Growth Regulator
PCPA REGISTRATION NUMBER: 25781
SYNONYM(S): None
PRODUCT DESCRIPTION: Plant Growth Regulator; For Greenhouse Use Only

Sumagic is a registered trademark of Sumitomo Chemical Co., Ltd.

MANUFACTURER/DISTRIBUTOR

VALENT CANADA, INC.
3-728 Victoria Road South
Guelph, Ontario N1L 1C6

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr):
(800) 682-5368
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

Product Information

AGRICULTURAL PRODUCTS: (800) 682-5368

The current MSDS is available through our website (www.valent.ca) or by calling the product information number(s) listed above.

2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

- Causes eye irritation
- Avoid contact with eyes, skin and clothing
- Keep out of reach of children

POTENTIAL HEALTH EFFECTS

Acute Toxicity (Primary Routes of Exposure): None known

Acute Eye Contact: This product can cause brief and/or minor eye irritation. The expected adverse health effects resulting from an exposure may include redness and possible swelling.

Acute Skin Contact: This product can cause brief and/or minor irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling. This product is minimally toxic when absorbed through the skin. This product is not expected to cause allergic skin reactions.

Acute Ingestion: This product is minimally toxic when ingested.

Acute Inhalation: This product is minimally toxic when inhaled.

Chronic Toxicity (including cancer): Uniconazole-P produced liver tumors in mice but is not considered a human carcinogen. Anemia and changes in the liver were the primary effects observed at high dose levels in animals.

Emergency Telephone: (800) 682-5368
REVISION NUMBER: 5

SDS NO.: CAN-0042
REVISION DATE: 09/23/2015

Developmental Toxicity (birth defects): Uniconazole-P produced effects on the developing fetus only at doses that were also toxic to the pregnant female.

Reproductive toxicity: Uniconazole-P Technical did not produce reproductive toxicity in animals.

Signs and Symptoms of Systemic Effects: Signs of toxicity observed in animals at high dose levels of Uniconazole-P include decreased activity, poor coordination, irregular respiration and liver toxicity.

Potentially Aggravated Medical Conditions: Individuals with preexisting diseases of the liver or kidney may have increased susceptibility to the toxicity of excessive exposures.

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	Purpose
Uniconazole-P	83657-17-4	NF	Active ingredient
Cyclohexanone	108-94-1	1 - 5	Solvent
Others	No CAS#	60 - 100	Other Ingredients

Other ingredients, which are maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identity is withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 682-5368** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 682-5368

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-682-5368** for emergency medical treatment information.

Eye contact:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Skin contact:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Ingestion:

Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Inhalation:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Notes to physician:

None

5. FIRE FIGHTING MEASURES

FLASH POINT: Not applicable
EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical

FLAMMABLE LIMITS IN AIR - LOWER (%): Not applicable
FLAMMABLE LIMITS IN AIR - UPPER (%): Not applicable

NFPA Rating:
 Health: 1
 Flammability: 1
 Reactivity: 0
 Special: none

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

Fire fighting instructions: Products of combustion from fires involving this material may be toxic. Smoke and fumes are extremely irritating to eyes, nose, throat and lungs. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire-fighting equipment before reuse. Read the entire document.

Hazardous decomposition products: Normal combustion forms carbon dioxide, water vapor and may produce: Oxides of nitrogen and toxic chlorine compounds. Incomplete combustion can produce carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 682-5368
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the **North American Emergency Response Guidebook**.

UN/NA Number: Not applicable **Emergency Response Guidebook No.:** Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents.

CLEANUP: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material forms an emulsion in water. Stop or reduce contamination of any water. Isolate contaminated water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

Handling:

Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves, shoes plus socks. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Do not put material into food or drink containers. Do not dilute material in food or drink containers.

Storage:

Keep pesticide in original container only. Store in a cool, dry, secure place. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store product in cool, dry, well-ventilated place away from seed, feed, fertilizers or other pesticides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use in well ventilated area.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including long pants, long-sleeved shirt and shoes plus socks and chemical-resistant gloves. Remove contaminated clothing.

Exposure limits

Chemical Name	Canadian OELs
Uniconazole-P	none
Cyclohexanone	none
Others	none

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:	Liquid at 23° C
COLOUR:	Colourless, clear to slightly hazy
ODOUR:	Solvent odour
FLASH POINT:	Not applicable
BOILING POINT:	No data available
Density:	1.005 g/mL @ 20°C
VAPOUR PRESSURE:	No data available
pH:	6 - 8
Viscosity:	No data available
CORROSION CHARACTERISTICS:	no data available

SOLUBILITY: Emulsifiable in water

10. STABILITY AND REACTIVITY

Chemical stability: Stable at normal ambient temperatures. Do not store at temperatures below 32° F (0° C).
Incompatibility: Not determined
Oxidation/Reduction properties: No data available
Explosibility: Not expected to be explosive
Hazardous decomposition products: Normal combustion forms carbon dioxide, water vapor and may produce: Oxides of nitrogen and toxic chlorine compounds. Incomplete combustion can produce carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Oral Toxicity LD ₅₀ (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rabbits)	> 5000 mg/kg	EPA Tox Category	IV
Inhalation Toxicity LC ₅₀ (rats)	> 5.9 mg/L	EPA Tox Category	IV
Eye Irritation (rabbits)	Slightly irritating	EPA Tox Category	III
Skin Irritation (rabbits)	Non-irritating	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

CARCINOGEN CLASSIFICATION

Chemical Name	IARC - Group 1 (carcinogenic to humans)	IARC - Group 2A (Probably carcinogenic)	IARC - Group 2B (Possibly carcinogenic)	NTP Carcinogen List
Uniconazole-P	no	no	no	Not listed
Cyclohexanone	no	no	no	Not listed
Others	Not known	Not Known	Not known	Not known

TOXICITY OF UNICONAZOLE-P TECHNICAL

Subchronic: Anemia, liver effects, thyroid changes and altered lipid metabolism were observed in rats treated with 1000 ppm or greater Uniconazole-P Technical in the diet for 3 months. The No-Observable-Effect-Level (NOEL) was 100 ppm (10 mg/kg/day). Anemia, liver effects, and clinical chemistry changes were observed in mice treated with 1000 ppm or greater Uniconazole-P Technical in the diet for 5 weeks. The No-Observable-Effect-Level (NOEL) was 300 ppm. Liver effects, and clinical chemistry changes were observed in dogs treated with 20mg/kg/day or greater Uniconazole-P Technical for 3 months. The No-Observable-Effect-Level (NOEL) was 5mg/kg/day. Skin irritation, and liver changes were observed at 25 mg/kg/day or higher in a 28-day dermal study in rats. The NOEL was 5 mg/kg/day.

Chronic/Carcinogenicity: A cancer bioassay in mice revealed an increased incidence of liver tumors among males exposed to 210 mg/kg/day Uniconazole-P via the diet. There was no increase in tumors of any type in males exposed to 1-25 mg/kg/day or in any of the treated female groups (1.5-240 mg/kg/day). The biological significance of this finding is unclear because the tumors arose late in the study and fewer untreated animals were still alive at that time. Uniconazole-P was not carcinogenic in rats exposed to 0.4-40 mg/kg/day in the diet for a lifetime. The only toxic effects observed in rats were decreased body weight gains and changes in the blood chemistry and liver cell. Repeated oral or dermal exposure to Uniconazole-P resulted in non-specific depression of the central nervous system and changes in the liver, kidney, and blood systems in rats, mice, and dogs at dose levels greater than 15, 140, and 20 mg/kg/day for the three species, respectively. The most prominent effects were produced in the liver. A chronic toxicity study in dogs revealed blood chemistry changes, increased liver, kidney, and adrenal weights, and decreased thymus weights at levels of 20-200 mg/kg/day. The only cellular effect observed was liver cell enlargement.

Emergency Telephone: (800) 682-5368
REVISION NUMBER: 5

SDS NO.: CAN-0042
REVISION DATE: 09/23/2015

Developmental Toxicity: In teratology studies, minor skeletal variations were observed in the offspring of rats exposed to 25 mg/kg/day Uniconazole-P, a dose that was also toxic to the dam. The NOEL for this study was 5 mg/kg/day. No evidence of developmental toxicity or teratogenicity was seen in rabbits.

Reproduction: Uniconazole-P did not produce malformations or adverse reproductive effects in a two-generation rat reproduction study.

Mutagenicity: Genetic toxicity tests in cultured mammalian cells and in mice indicate that Uniconazole-P may damage genetic material, but only at dose levels that are severely toxic to the test organisms. Uniconazole-P was not mutagenic in bacteria.

TOXICITY OF OTHER INGREDIENTS:

Overexposure to cyclohexanone may cause cataracts, liver and kidney damage and is reported to effect the fetus in animal studies.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

Uniconazole-P Technical is toxic to avian species. The following results were obtained from studies with technical:
Oral LD₅₀ bobwhite quail: 1461 mg/kg
Oral LD₅₀ mallard duck: >2315 mg/kg
Dietary LC₅₀ bobwhite quail: >5782 ppm
Dietary LC₅₀ mallard duck: 3345 ppm
One generation reproduction, bobwhite quail: NOEC = 320 ppm
One generation reproduction, mallard duck: NOEC = 80 ppm, treatment related effects observed at 320 ppm

AQUATIC ORGANISM TOXICITY: Uniconazole-P Technical is toxic to freshwater fish; toxic to freshwater invertebrates; toxic to estuarine/marine fish and toxic estuarine/marine invertebrates, based on the following tests:
96-hour LC₅₀ rainbow trout: 14.8 mg/L
96-hour LC₅₀ bluegill sunfish: 8.2 mg/L
96-hour LC₅₀ carp: 7.5 mg/L
48-hour LC₅₀ Daphnia magna: >10 mg/L

OTHER NON-TARGET ORGANISM TOXICITY:

Uniconazole-P Technical is not toxic to bees. No mortality was produced in an acute contact LC₅₀ in bees at 20 µg/bee.

OTHER ENVIRONMENTAL INFORMATION:

Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters. See Directions for Use on product label for additional precautions and restrictions.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Follow provincial instruction for any required additional cleaning of the container prior to disposal. Make the container unsuitable for further use. Dispose of the container in accordance with provincial requirements.

Disposal methods: If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

14. TRANSPORTATION INFORMATION

DOT (ground) shipping name:	Not regulated for domestic ground transport by U.S. DOT / CTA
Remarks:	Product labels required by CEPA
Emergency Response Guidebook No.:	Not applicable
ICAO/IATA proper shipping name:	UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Uniconazole-P), 9, III, Marine Pollutant
Remarks:	<ul style="list-style-type: none"> •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IATA Special Provision A197 •For US shipping, Emergency Response Guidebook No. 171
IMDG proper shipping name:	UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Uniconazole-P), 9, III, Marine Pollutant
Remarks:	<ul style="list-style-type: none"> •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IMDG 2.10.2.7 •For US shipping, Emergency Response Guidebook No. 171
EMS No.:	F-A, S-F

15. REGULATORY INFORMATION

CANADIAN REGULATIONS:

WHMIS Hazard Class: D2B Toxic materials

This product is not listed on Canada's DSL/NDSL List.
This product is not listed on Canada's Ingredient Disclosure List.

A component of this product (CAS# 108-94-1) is listed on Canada's DSL/NDSL List
A component of this product (CAS# 108-94-1) has a WHMIS classification of B3, D2B.
A component of this product (CAS# 9005-64-5) is listed on Canada's DSL/NDSL List.

Cyclohexanone

Canada DSL Inventory List -	Present
EINECS Inventory List -	Present

Others

Canada NDSL Inventory List -	Not listed
EINECS Inventory List -	Not listed

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

PESTICIDE REGULATIONS: All pesticides are governed under PCPA (Pest Control Products Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

PROVINCIAL REGULATIONS: This product did not trigger any provincial regulations.

16. OTHER INFORMATION

REASON FOR ISSUE:	Review and update SDS.
SDS NO.:	CAN-0042
PCPA REGISTRATION NUMBER:	25781
REVISION NUMBER:	5
REVISION DATE:	09/23/2015
SUPERCEDES DATE:	September 12, 2012
RESPONSIBLE PERSON(S):	Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent Canada, Inc. and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent Canada, Inc. nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent Canada, Inc. to confirm that you have the most current product label and SDS.

The Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE PMRA-APPROVED PRODUCT LABEL (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use.

The product label provides information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products is regulated by the PMRA under the authority of the *Pest Control Products Act* through the product label. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label. It is a violation of federal law to use a PMRA-registered pesticide product in any manner inconsistent with its labeling.

2015 Valent Canada, Inc.