



Safety Data Sheet

Velocity® SP Herbicide

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Velocity® SP Herbicide
PCPA REGISTRATION NUMBER: 28833
VC NUMBER(S): 1177
PRODUCT DESCRIPTION: Selective Herbicide

MANUFACTURER/DISTRIBUTOR

VALENT CANADA, INC.
3-728 Victoria Road South
Guelph, Ontario N1L 1C6
(519) 767-9262

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr):
(800) 682-5368
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

Product Information

AGRICULTURAL PRODUCTS: (800) 682-5368

The current MSDS is available through our website (www.valent.ca) or by calling the product information number(s) listed above.

2. HAZARDS IDENTIFICATION

Emergency Overview

CAUTION

- Causes moderate eye irritation.
- Harmful if swallowed or absorbed through skin.
- Avoid breathing dust or spray mist
- Avoid contact with eyes, skin and clothing
- Keep out of reach of children

POTENTIAL HEALTH EFFECTS

Acute Toxicity (Primary Routes of Exposure): None known

Acute Eye Contact: Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor eye irritation. The expected adverse health effects resulting from an exposure may include redness and possible swelling.

Acute Skin Contact: Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor skin irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling. Based on an evaluation of the ingredients and/or similar products, this product may be slightly toxic when absorbed through the skin.

Based on an evaluation of the ingredients and/or similar products, this product is not expected to cause allergic skin reactions.

Acute Ingestion: Based on an evaluation of the ingredients and/or similar products, this product may be slightly toxic when ingested.

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 3

SDS NO.: CAN-0255
REVISION DATE: 01/23/2018

Acute Inhalation: Based on an evaluation of the ingredients and/or similar products, this product is expected to be slightly toxic when inhaled. Exposure to high concentrations in the air may result in respiratory irritation. Signs and symptoms may include, but not be limited to, nasal discharge, sore throat, coughing and difficulty in breathing.

Chronic Toxicity (including cancer): Studies with bispyribac-sodium technical in laboratory animals indicate that repeated high exposures can produce changes in the liver, urinary bladder, bile duct and kidney but do not produce cancer.

Developmental Toxicity (birth defects): No developmental toxicity was produced in laboratory animals exposed to bispyribac-sodium technical, even at doses that were toxic to the pregnant animal.

Reproductive toxicity: Bispyribac-sodium technical did not produce reproductive toxicity in animal studies.

Signs and Symptoms of Systemic Effects: Signs of toxicity observed in test animals exposed to repeated high doses of a similar product, bispyribac-sodium technical, include vomiting, salivation, loose stools and decreased body weight gain.

Potentially Aggravated Medical Conditions: Individuals with preexisting conditions of the liver, kidney, bile duct or urinary bladder may have increased susceptibility to the toxicity of excessive exposures.

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | Purpose |
|--|-------------|----------|-------------------|
| Bispyribac-sodium | 125401-92-5 | 60 - 100 | Active ingredient |
| Others (including particulates not otherwise classified) | No CAS# | 10 - 30 | Other Ingredients |

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 682-5368

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-682-5368** for emergency medical treatment information.

Eye contact:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Skin contact:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Ingestion:

Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Inhalation:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Notes to physician:

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 3

SDS NO.: CAN-0255
REVISION DATE: 01/23/2018

None

5. FIRE FIGHTING MEASURES

FLASH POINT: Not applicable
AUTOIGNITION: Not available
EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical
FLAMMABLE LIMITS IN AIR - LOWER (%): Not applicable
FLAMMABLE LIMITS IN AIR - UPPER (%): Not applicable

NFPA Rating:

Health: 1
 Flammability: 1
 Reactivity: 0
 Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

Fire fighting instructions: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

Hazardous decomposition products: None expected

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 682-5368
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the **North American Emergency Response Guidebook.**

UN/NA Number: Not applicable **Emergency Response Guidebook No.:** Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release into soil, surface water and ground water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

Handling:

Wear personal protective equipment when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Storage:

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight. Keep container tightly closed

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

Exposure limits

| Chemical Name | Canadian OELs |
|--|---------------|
| Bispyribac-sodium | None |
| Others (including particulates not otherwise classified) | None |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------------------------|---------------------------------|
| PHYSICAL FORM: | Powder at ambient temperature |
| ODOUR: | Odourless |
| FLASH POINT: | Not applicable |
| MELTING POINT: | 219.5°C (Technical decomposes) |
| BULK DENSITY: | 0.25 g/mL or 15.6 lb./cu. ft. |
| VAPOUR PRESSURE: | 6.7 mPa at 25°C (Technical) |
| pH: | 8.84 (1% w/v in water, 20°C) |
| CORROSION CHARACTERISTICS: | no data available |
| Solubility: | 6.75 g/100 mL water (Technical) |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Chemical stability: | Stable at normal ambient temperatures. |
| Incompatibility: | Non-reactive with oxidizing and reducing agents and fire suppressants. |
| Oxidation/Reduction properties: | Not reactive with water, monoammonium phosphate, zinc, and potassium permanganate. |
| Explosibility: | No Data Available |
| Hazardous decomposition products: | None expected |

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

The following information is for the technical material.

| | | | |
|--|--|------------------|-----|
| Oral Toxicity LD ₅₀ (rats) | Male - 4,111 mg/kg Female - 2,635 mg/kg | EPA Tox Category | III |
| Dermal Toxicity LD ₅₀ (rabbits) | >2,000 mg/kg | EPA Tox Category | III |

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 3

SDS NO.: CAN-0255
REVISION DATE: 01/23/2018

| | | | |
|---|-------------------------------|------------------|----------------|
| Inhalation Toxicity LC ₅₀ (rats) | >4.48 mg/L | EPA Tox Category | IV |
| Eye Irritation (rabbits) | Slightly irritating | EPA Tox Category | IV |
| Skin Irritation (rabbits) | Brief and/or minor irritation | EPA Tox Category | IV |
| Skin Sensitization (guinea pigs) | Potential sensitizer | EPA Tox Category | Not applicable |

CARCINOGEN CLASSIFICATION

| Chemical Name | IARC - Group 1 (carcinogenic to humans) | IARC - Group 2A (Probably carcinogenic) | IARC - Group 2B (Possibly carcinogenic) | NTP Carcinogen List |
|--|--|--|--|---------------------|
| Bispyribac-sodium | No | No | No | Not listed |
| Others (including particulates not otherwise classified) | No | No | No | Not listed |

TOXICITY OF BISPYRIBAC-SODIUM TECHNICAL

Subchronic: Bispyribac-sodium technical was tested in rats at dose levels of 0, 100, 1000, 10000, and 20000 ppm for 13 weeks. The NOEL was 100 ppm (7.2 mg/kg/day) in males and 1000 ppm (79.9 mg/kg/day) in female rats. Effects observed at higher doses included histopathological changes in the liver, urinary bladder and the bile duct; increased serum GOT, GPT and ALP; and reduced body weight gain. Bispyribac-sodium technical was also tested in dogs for 13 weeks at doses of 0, 30, 100 and 600 mg/kg/day. The NOEL was 100 mg/kg/day. Vomiting, salivation and loose stools were observed in animals exposed to 600 mg/kg/day. Histopathological changes in the liver were also noted in males at 600 mg/kg/day.

Chronic/Carcinogenicity: Bispyribac-sodium technical was tested in rats for 2 years at doses of 0, 20, 200, 3500 and 7000 ppm in males and 0, 20, 200, 5000 and 10000 ppm in females. The NOEL was 20 ppm (male 1.1 mg/kg/day, female 1.4 mg/kg/day). Effects observed at higher doses included decreased body weight gain; changes in hematological and blood biochemistry values; and histopathological lesions of the liver and bile duct. No neoplastic lesions were observed. Bispyribac-sodium technical was tested in mice for 18 months at doses of 0, 10, 100, 2500 and 5000 ppm. The NOEL was 100 ppm (14.1 mg/kg/day) in males and 10 ppm (1.7 mg/kg/day) in females. Effects observed at higher doses included reduced body weight gain; decreased liver weight; increased kidney weight; and histopathological changes in the liver. No neoplastic lesions were observed. A 52-week chronic toxicity study of bispyribac-sodium technical was conducted in dogs at doses of 0, 10, 100 and 750 mg/kg/day. The NOEL was 10 mg/kg/day. Effects observed at higher doses included salivation, vomiting and loose stools; increased liver weight; and histopathological changes in the bile duct.

Developmental Toxicity: Bispyribac-sodium technical was tested in a developmental toxicity study with rabbits at doses of 0, 30, 100 and 300 mg/kg/day. The NOEL for maternal toxicity was 100 mg/kg/day; and for developmental toxicity the NOEL was 300 mg/kg/day. Maternal toxicity included one death and premature delivery and slight depression of body weight gain.

Bispyribac-sodium technical was tested in a developmental toxicity study in rats at dose levels of 0, 100, 300 and 1000 mg/kg/day. The maternal NOEL was 300 mg/kg/day and the developmental NOEL was 1000 mg/kg/day. The maternal toxicity observed at 1000 mg/kg/day consisted of anogenital staining.

Reproduction: A two-generation rat reproduction study was conducted with bispyribac-sodium technical at doses of 0, 20, 1000 and 10000 ppm. The NOELs for systemic adult toxicity, offspring developmental parameters and reproductive toxicity were 20, 1000, and 10000 ppm, respectively. Systemic adult toxicity included decreased body weight gain and food consumption; increased liver weight; and histopathological changes in the liver and bile duct. The growth of the F1 and F2 offspring was inhibited at 10000 ppm.

Mutagenicity: Bispyribac-sodium technical was negative in the following assays: reverse mutation (Ames); CHO, chromosomal aberration (in vitro); unscheduled DNA synthesis; and micronucleus in mice (in vivo).

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For

information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY: Bispyribac-sodium technical is considered to be practically non-toxic to birds based on tests in the following avian species:

| | |
|--|-------------------------|
| Oral LD ₅₀ , bobwhite quail: | greater than 2250 mg/kg |
| Dietary LC ₅₀ , bobwhite quail: | greater than 5620 ppm |
| Dietary LC ₅₀ , mallard duck: | greater than 5620 ppm |

AQUATIC ORGANISM TOXICITY: Bispyribac-sodium technical is considered practically non-toxic to fish and aquatic invertebrates based on results in the following tests:

| | |
|---|----------------------|
| Bluegill sunfish 96 hr. LC ₅₀ : | greater than 100 ppm |
| Rainbow trout 96 hr. LC ₅₀ : | greater than 100 ppm |
| Daphnia magna 48 hr. LC ₅₀ : | greater than 100 ppm |
| Sheepshead minnow 96 hr. LC ₅₀ : | greater than 100 ppm |
| Mysid shrimp 96 hr. LC ₅₀ : | greater than 100 ppm |
| Oyster shell deposition 96 hr. EC ₅₀ : | greater than 100 ppm |

The LC₅₀ of bispyribac-sodium technical in earthworms is greater than 1000 ppm.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

CONTAINER DISPOSAL: When all the water soluble packets are used, make the empty outer bag unsuitable for further use. Dispose of the outer bag in accordance with provincial requirements.

Disposal methods: Check government regulations and local authorities for approved disposal of this material. Dispose in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) shipping name: Not regulated for domestic ground transport by US DOT or Canada TDG.

Emergency Response

Guidebook No.: Not applicable

ICAO/IATA proper shipping name: Not regulated.

IMDG proper shipping name: Not regulated

15. REGULATORY INFORMATION

CANADIAN REGULATIONS:

WHMIS Hazard Class: This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations (CPR)* and the SDS contains all information required by the CPR.

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

PESTICIDE REGULATIONS: All pesticides are governed under PCPA (Pest Control Products Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

PROVINCIAL REGULATIONS: This product did not trigger any provincial regulations.

16. OTHER INFORMATION

REASON FOR ISSUE: Reviewed and Re-issued. No major changes.
SDS NO.: CAN-0255
PCPA REGISTRATION NUMBER: 28833
REVISION NUMBER: 3
REVISION DATE: 01/23/2018
SUPERCEDES DATE: February 14, 2011
RESPONSIBLE PERSON(S): Valent U.S.A. LLC, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent Canada, Inc. and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent Canada, Inc. nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent Canada, Inc. to confirm that you have the most current product label and SDS.

The Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE PMRA-APPROVED PRODUCT LABEL (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use.

The product label provides information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products is regulated by the PMRA under the authority of the *Pest Control Products Act* through the product label. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label. It is a violation of federal law to use a PMRA-registered pesticide product in any manner inconsistent with its labeling.

2018 Valent Canada, Inc.